



S. NO.	Model	LOAD kg	HO mm	HI mm	Bolt Size	Top plate (AxB) mm	Bottom Plate (Cx D) mm	CC mm	Natural Frequency (Hz)
1	MAI-E2-M12x1.75x100	32	76	101	M12	125X125	125X125	95	3.5-11
2	MAI-F2-M12x1.75x100	10-60	61	85	M12	110X110	110X110	90	3-8
3	MAI-F5-M12x1.75x100	61	76	101	M12	125X125	125X125	95	3.5-11
4	MAI-G1-M12x1.75x100	110	76	101	M12	125X125	125X125	95	3.5-11
5	MAI-G5-M12x1.75x100	157	76	101	M12	125X125	125X125	95	3.5-11
6	MAI-H2-M12x1.75x100	25-200	66	86	M12	110X110	110X110	90	3.5-10
7	MAI-H5-M12x1.75x100	210	76	101	M12	125X125	125X125	95	3.5-11
8	MAI-J2-M12x1.75x100	30-300	84	104	M12	125X125	125X125	95	3.5-11
9	MAI-K3-M12x1.75x100	200-850	69	75	M12	125X125	125X125	95	5.0-10
10	MAI-L3-M12x1.75x100	50-500	84	104	M12	125X125	125X125	95	3.5-11
11	MAI-N5-M12x1.75x100	400-1200	81	101	M12	125X125	125X125	95	3.5-11
12	MAI-P3-M12x1.75x100	500-1400	95	104	M12	125X125	125X125	95	5.0-09
13	MAI-P5-M12x1.75x100	250-900	82	91	M12	125X125	125X125	95	5.0-09