









		MACHINERY RAISER DAMPING MOUNTS : SERIES DR-150							
  DR2 DR4 DR6									
Model	Load Capacity (Kg/pc)	d (mm)	Dia (D) (mm)	H (mm)	Bottom pad Type	Bottom pad Thickness (mm)	Coeff. of Friction against Concrete	Natural Frequency at Max. Load (Hz)	Temperature Range (°C)
DR1-u-150-FG-GR	350	87	109	150	Du	15	0.9	18	From -16 to 90
DR2-u-150-FG-GR	600	108	150	150	Du	15	0.9	18	From -16 to 90
DR3-u-150-FG-GR	900	136	170	150	Du	15	0.9	18	From -16 to 90
DR4-u-150-FG-GR	1400	161	210	150	Du	15	0.9	18	From -16 to 90
DR5-u-150-FG-GR	1900	185	240	150	Du	15	0.9	18	From -16 to 90
DR6-u-150-FG-GR	2500	215	270	150	Du	15	0.9	18	From -16 to 90
Applications: Tool Room Machines, Plastic Injection Moulding Machines, Pressure Die Casting Machines, Shaper, Printing and Textile Machines etc.									
DR1-u-10-145-FG-GR	350	87	109	145	Du-10	10	0.9	25	From -16 to 90
DR2-u-10-145-FG-GR	600	108	150	145	Du-10	10	0.9	25	From -16 to 90
DR3-u-10-145-FG-GR	900	136	170	145	Du-10	10	0.9	25	From -16 to 90
DR4-u-10-145-FG-GR	1400	161	210	145	Du-10	10	0.9	25	From -16 to 90
DR5-u-10-145-FG-GR	1900	185	240	145	Du-10	10	0.9	25	From -16 to 90
DR6-u-10-145-FG-GR	2500	215	270	145	Du-10	10	0.9	25	From -16 to 90
Applications: Tool Room Machines, Plastic Injection Moulding Machines, Pressure Die Casting Machines, Shaper, Printing and Textile Machines etc.									
DR1-u-12-147-FG-GR	350	87	109	147	Du-12	12	0.9	20	From -16 to 90
DR2-u-12-147-FG-GR	600	108	150	147	Du-12	12	0.9	20	From -16 to 90
DR3-u-12-147-FG-GR	900	136	170	147	Du-12	12	0.9	20	From -16 to 90
DR4-u-12-147-FG-GR	1400	161	210	147	Du-12	12	0.9	20	From -16 to 90
DR5-u-12-147-FG-GR	1900	185	240	147	Du-12	12	0.9	20	From -16 to 90
DR6-u-12-147-FG-GR	2500	215	270	147	Du-12	12	0.9	20	From -16 to 90
Applications: Tool Room Machines, Plastic Injection Moulding Machines, Pressure Die Casting Machines, Shaper, Printing and Textile Machines etc.									
  DR2 DR4 DR6									
DR1-m-150-FG-GR	450	87	109	150	Dm	15	0.7	30	From -16 to 90
DR2-m-150-FG-GR	800	108	150	150	Dm	15	0.7	30	From -16 to 90
DR3-m-150-FG-GR	1150	136	170	150	Dm	15	0.7	30	From -16 to 90
DR4-m-150-FG-GR	1750	161	210	150	Dm	15	0.7	30	From -16 to 90
DR5-m-150-FG-GR	2400	185	240	150	Dm	15	0.7	30	From -16 to 90
DR6-m-150-FG-GR	3200	215	270	150	Dm	15	0.7	30	From -16 to 90
Applications: Power Presses, Stamping Machines, Shearing Machines, Punching Machines. For machines with high vertical impact.									
  DR2 DR4 DR6									
DR1-i-160-FG-GR	890	87	109	160	Di	25	0.8	7	From -16 to 90
DR2-i-160-FG-GR	1720	108	150	160	Di	25	0.8	7	From -16 to 90
DR3-i-160-FG-GR	2470	136	170	160	Di	25	0.8	7	From -16 to 90
DR4-i-160-FG-GR	3180	161	210	160	Di	25	0.8	7	From -16 to 90
DR5-i-160-FG-GR	5320	185	240	160	Di	25	0.8	7	From -16 to 90

DR6-i-160-FG-GR	6870	215	270	160	Di	25	0.8	7	From -16 to 90
Applications: Power Presses, Stamping Machines, Shearing Machines, Punching Machines. For machines with high vertical impact.									
 DR2 DR4 DR6									
DR1-p1-150-FG-GR	250	87	109	150	Dp1	15	0.8	7	From -16 to 90
DR2-p1-150-FG-GR	490	108	150	150	Dp1	15	0.8	7	From -16 to 90
DR3-p1-150-FG-GR	700	136	170	150	Dp1	15	0.8	7	From -16 to 90
DR4-p1-150-FG-GR	900	161	210	150	Dp1	15	0.8	7	From -16 to 90
DR5-p1-150-FG-GR	1520	185	240	150	Dp1	15	0.8	7	From -16 to 90
DR6-p1-150-FG-GR	1960	215	270	150	Dp1	15	0.8	7	From -16 to 90
Applications: Power Presses, Stamping Machines, Shearing Machines, Punching Machines. For machines with high vertical impact.									
DR1-p2-155-FG-GR	320	87	109	155	Dp2	20	0.8	12	From -16 to 90
DR2-p2-155-FG-GR	610	108	150	155	Dp2	20	0.8	12	From -16 to 90
DR3-p2-155-FG-GR	880	136	170	155	Dp2	20	0.8	12	From -16 to 90
DR4-p2-155-FG-GR	1130	161	210	155	Dp2	20	0.8	12	From -16 to 90
DR5-p2-155-FG-GR	1900	185	240	155	Dp2	20	0.8	12	From -16 to 90
DR6-p2-155-FG-GR	2450	215	270	155	Dp2	20	0.8	12	From -16 to 90
Applications: Medium Presses, Punching Presses, Centreless Grinding Machines, Gear Shapers, High Speed Machines on upper floors.									
DR1-p3-159-FG-GR	380	87	109	159	Dp3	24	0.8	7	From -16 to 90
DR2-p3-159-FG-GR	730	108	150	159	Dp3	24	0.8	7	From -16 to 90
DR3-p3-159-FG-GR	1060	136	170	159	Dp3	24	0.8	7	From -16 to 90
DR4-p3-159-FG-GR	1360	161	210	159	Dp3	24	0.8	7	From -16 to 90
DR5-p3-159-FG-GR	2280	185	240	159	Dp3	24	0.8	7	From -16 to 90
DR6-p3-159-FG-GR	2940	215	270	159	Dp3	24	0.8	7	From -16 to 90
Applications: Tool Room Machines on suspended Floors, Light Weight Presses, Compressors etc.									
 DR2 DR4 DR6									
DR1-s1-155-FG-GR	200	87	109	155	Ds1	20	0.8	15	From -16 to 90
DR2-s1-155-FG-GR	375	108	150	155	Ds1	20	0.8	15	From -16 to 90
DR3-s1-155-FG-GR	575	136	170	155	Ds1	20	0.8	15	From -16 to 90
DR4-s1-155-FG-GR	800	161	210	155	Ds1	20	0.8	15	From -16 to 90
DR5-s1-155-FG-GR	1100	185	240	155	Ds1	20	0.8	15	From -16 to 90
DR6-s1-155-FG-GR	1500	215	270	155	Ds1	20	0.8	15	From -16 to 90
Applications: Tool Room Machines, Plastic Injection Moulding Machines, Pressure Die Casting Machines, Shaper, Printing and Textile Machines etc.									
DR1-s2-160-FG-GR	300	87	109	160	Ds2	25	0.8	8	From -16 to 90
DR2-s2-160-FG-GR	550	108	150	160	Ds2	25	0.8	8	From -16 to 90
DR3-s2-160-FG-GR	850	136	170	160	Ds2	25	0.8	8	From -16 to 90
DR4-s2-160-FG-GR	1250	161	210	160	Ds2	25	0.8	8	From -16 to 90
DR5-s2-160-FG-GR	1700	185	240	160	Ds2	25	0.8	8	From -16 to 90
DR6-s2-160-FG-GR	2200	215	270	160	Ds2	25	0.8	8	From -16 to 90
Applications: Power Presses, Stamping Machines, Shearing Machines, Punching Machines. For machines with high vertical impact.									
 DR2 DR4 DR6									
DR1-hs1-200-FG-GR	1270	87	109	200	Dhs1	65	0.8	6	From -16 to 90
DR2-hs1-200-FG-GR	2450	108	150	200	Dhs1	65	0.8	6	From -16 to 90
DR3-hs1-200-FG-GR	3530	136	170	200	Dhs1	65	0.8	6	From -16 to 90
DR4-hs1-200-FG-GR	4540	161	210	200	Dhs1	65	0.8	6	From -16 to 90

DR5-hs1-200-FG-GR	7600	185	240	200	Dhs1	65	0.8	6	From -16 to 90
DR6-hs1-200-FG-GR	9820	215	270	200	Dhs1	65	0.8	6	From -16 to 90
Applications : Forging Hammers, Heavy Gen Sets, Heavy Industrial machines, Test Rigs, Heavy presses etc.									
DR1-hs2-200-FG-GR	510	87	109	200	Dhs2	65	0.8	4	From -16 to 90
DR2-hs2-200-FG-GR	900	108	150	200	Dhs2	65	0.8	4	From -16 to 90
DR3-hs2-200-FG-GR	1410	136	170	200	Dhs2	65	0.8	4	From -16 to 90
DR4-hs2-200-FG-GR	1810	161	210	200	Dhs2	65	0.8	4	From -16 to 90
DR5-hs2-200-FG-GR	3040	185	240	200	Dhs2	65	0.8	4	From -16 to 90
DR6-hs2-200-FG-GR	3930	215	270	200	Dhs2	65	0.8	4	From -16 to 90
Applications : Forging Hammers, Heavy Gen Sets, Heavy Industrial machines, Test Rigs, Heavy presses, crushers etc.									
DR1-hs3-185-FG-GR	1780	87	109	185	Dhs3	50	0.8	7	From -16 to 90
DR2-hs3-185-FG-GR	3440	108	150	185	Dhs3	50	0.8	7	From -16 to 90
DR3-hs3-185-FG-GR	4950	136	170	185	Dhs3	50	0.8	7	From -16 to 90
DR4-hs3-185-FG-GR	6350	161	210	185	Dhs3	50	0.8	7	From -16 to 90
DR5-hs3-185-FG-GR	10640	185	240	185	Dhs3	50	0.8	7	From -16 to 90
DR6-hs3-185-FG-GR	13740	215	270	185	Dhs3	50	0.8	7	From -16 to 90
Applications : Forging Hammers, Heavy Gen Sets, Heavy Industrial machines, Test Rigs, Heavy presses etc.									
DR1-hs4-185-FG-GR	760	87	109	185	Dhs4	50	0.8	5	From -16 to 90
DR2-hs4-185-FG-GR	1470	108	150	185	Dhs4	50	0.8	5	From -16 to 90
DR3-hs4-185-FG-GR	2120	136	170	185	Dhs4	50	0.8	5	From -16 to 90
DR4-hs4-185-FG-GR	2720	161	210	185	Dhs4	50	0.8	5	From -16 to 90
DR5-hs4-185-FG-GR	4960	185	240	185	Dhs4	50	0.8	5	From -16 to 90
DR6-hs4-185-FG-GR	5890	215	270	185	Dhs4	50	0.8	5	From -16 to 90
Applications : Forging Hammers, Heavy Gen Sets, Heavy Industrial machines, Test Rigs, Heavy presses, crushers etc.									
DR1-hs5-215-FG-GR	1780	87	109	215	Dhs5	80	0.8	5	From -16 to 90
DR2-hs5-215-FG-GR	3440	108	150	215	Dhs5	80	0.8	5	From -16 to 90
DR3-hs5-215-FG-GR	4950	136	170	215	Dhs5	80	0.8	5	From -16 to 90
DR4-hs5-215-FG-GR	6350	161	210	215	Dhs5	80	0.8	5	From -16 to 90
DR5-hs5-215-FG-GR	10640	185	240	215	Dhs5	80	0.8	5	From -16 to 90
DR6-hs5-215-FG-GR	13740	215	270	215	Dhs5	80	0.8	5	From -16 to 90
Applications : Forging Hammers, Heavy Gen Sets, Heavy Industrial machines, Test Rigs, Heavy presses etc.									
  DR2  DR4  DR6									
DR1-h-150-FG-GR	1200	87	109	150	Dh	15	0.6	45	From -16 to 90
DR2-h-150-FG-GR	2400	108	150	150	Dh	15	0.6	45	From -16 to 90
DR3-h-150-FG-GR	3500	136	170	150	Dh	15	0.6	45	From -16 to 90
DR4-h-150-FG-GR	5200	161	210	150	Dh	15	0.6	45	From -16 to 90
DR5-h-150-FG-GR	7200	185	240	150	Dh	15	0.6	45	From -16 to 90
DR6-h-150-FG-GR	9600	215	270	150	Dh	15	0.6	45	From -16 to 90
Applications : Very Heavy and long bed machines, long machining centres, planners etc.									
  DR2  DR4  DR6									
DR1-a2-143-FG-GR	640	87	109	143	Da2	8	0.9	45	From -16 to 90
DR2-a2-143-FG-GR	1230	108	150	143	Da2	8	0.9	45	From -16 to 90
DR3-a2-143-FG-GR	1770	136	170	143	Da2	8	0.9	45	From -16 to 90
DR4-a2-143-FG-GR	2270	161	210	143	Da2	8	0.9	45	From -16 to 90
DR5-a2-143-FG-GR	3800	185	240	143	Da2	8	0.9	45	From -16 to 90
DR6-a2-143-FG-GR	4900	215	270	143	Da2	8	0.9	45	From -16 to 90