




DRC2



DRC4



DRC6

Model	Load Capacity (Kg/pc)	Bolt Size (mm)	d (mm)	Dia (D) (mm)	H (mm)	Adjustment (mm)	Bottom pad Type	Bottom pad Thickness (mm)	Coeff. of Friction against Concrete	Natural Frequency at Max. Load (Hz)	Temperature Range (°C)
DRC1-u-100-FG-GR	350	M12X100	98	109	100	8	Du	15	0.9	18	From -16 to 90
DRC2-u-100-FG-GR	600	M16X100	125	150	100	8	Du	15	0.9	18	From -16 to 90
DRC3-u-100-FG-GR	900	M16X100	150	170	100	10	Du	15	0.9	18	From -16 to 90
DRC4-u-100-FG-GR	1400	M18X150	180	210	100	10	Du	15	0.9	18	From -16 to 90
DRC5-u-100-FG-GR	1900	M20X150	204	240	100	12	Du	15	0.9	18	From -16 to 90
DRC6-u-100-FG-GR	2500	M20X150	235	270	100	12	Du	15	0.9	18	From -16 to 90


Applications: Tool Room Machines, Plastic Injection Moulding Machines, Pressure Die Casting Machines, Shaper, Printing and Textile Machines etc.

DRC1-u-10-95-FG-GR	350	M12X100	98	109	95	8	Du-10	10	0.9	18	From -16 to 90
DRC2-u-10-95-FG-GR	600	M16X100	125	150	95	8	Du-10	10	0.9	18	From -16 to 90
DRC3-u-10-95-FG-GR	900	M16X100	150	170	95	10	Du-10	10	0.9	18	From -16 to 90
DRC4-u-10-95-FG-GR	1400	M18X150	180	210	95	10	Du-10	10	0.9	18	From -16 to 90
DRC5-u-10-95-FG-GR	1900	M20X150	204	240	95	12	Du-10	10	0.9	18	From -16 to 90
DRC6-u-10-95-FG-GR	2500	M20X150	235	270	95	12	Du-10	10	0.9	18	From -16 to 90

Applications: Tool Room Machines, Plastic Injection Moulding Machines, Pressure Die Casting Machines, Shaper, Printing and Textile Machines etc.

DRC1-u-12-97-FG-GR	350	M12X100	98	109	97	8	Du-12	12	0.9	18	From -16 to 90
DRC2-u-12-97-FG-GR	600	M16X100	125	150	97	8	Du-12	12	0.9	18	From -16 to 90
DRC3-u-12-97-FG-GR	900	M16X100	150	170	97	10	Du-12	12	0.9	18	From -16 to 90
DRC4-u-12-97-FG-GR	1400	M18X150	180	210	97	10	Du-12	12	0.9	18	From -16 to 90
DRC5-u-12-97-FG-GR	1900	M20X150	204	240	97	12	Du-12	12	0.9	18	From -16 to 90
DRC6-u-12-97-FG-GR	2500	M20X150	235	270	97	12	Du-12	12	0.9	18	From -16 to 90

Applications: Tool Room Machines, Plastic Injection Moulding Machines, Pressure Die Casting Machines, Shaper, Printing and Textile Machines etc.



DRC2




DRC4



DRC6

DRC1-m-100-FG-GR	450	M12X100	98	109	100	8	Dm	15	0.7	30	From -16 to 90
DRC2-m-100-FG-GR	800	M16X100	125	150	100	8	Dm	15	0.7	30	From -16 to 90
DRC3-m-100-FG-GR	1150	M16X100	150	170	100	10	Dm	15	0.7	30	From -16 to 90
DRC4-m-100-FG-GR	1750	M18X150	180	210	100	10	Dm	15	0.7	30	From -16 to 90
DRC5-m-100-FG-GR	2400	M20X150	204	240	100	12	Dm	15	0.7	30	From -16 to 90
DRC6-m-100-FG-GR	3200	M20X150	235	270	100	12	Dm	15	0.7	30	From -16 to 90

Applications: Power Presses, Stamping Machines, Shearing Machines, Punching Machines. For machines with high vertical impact.



DRC2



DRC4




DRC6

DRC1-i-110-FG-GR	890	M12X100	98	109	110	8	Di	25	0.8	7	From -16 to 90
DRC2-i-110-FG-GR	1720	M16X100	125	150	110	8	Di	25	0.8	7	From -16 to 90

DRC3-i-110-FG-GR	2470	M16X100	150	170	110	10	Di	25	0.8	7	From -16 to 90
DRC4-i-110-FG-GR	3180	M18X150	180	210	110	10	Di	25	0.8	7	From -16 to 90
DRC5-i-110-FG-GR	5320	M20X150	204	240	110	12	Di	25	0.8	7	From -16 to 90
DRC6-i-110-FG-GR	6870	M20X150	235	270	110	12	Di	25	0.8	7	From -16 to 90

Applications: Power Presses, Stamping Machines, Shearing Machines, Punching Machines. For machines with high vertical impact.



DRC2**DRC4****DRC6**

DRC1-p1-100-FG-GR	250	M12X100	98	109	100	8	Dp1	15	0.8	7	From -16 to 90
DRC2-p1-100-FG-GR	490	M16X100	125	150	100	8	Dp1	15	0.8	7	From -16 to 90
DRC3-p1-100-FG-GR	700	M16X100	150	170	100	10	Dp1	15	0.8	7	From -16 to 90
DRC4-p1-100-FG-GR	900	M18X150	180	210	100	10	Dp1	15	0.8	7	From -16 to 90
DRC5-p1-100-FG-GR	1520	M20X150	204	240	100	12	Dp1	15	0.8	7	From -16 to 90
DRC6-p1-100-FG-GR	1960	M20X150	235	270	100	12	Dp1	15	0.8	7	From -16 to 90


Applications: Power Presses, Stamping Machines, Shearing Machines, Punching Machines. For machines with high vertical impact.

DRC1-p2-105-FG-GR	320	M12X100	98	109	105	8	Dp2	20	0.8	12	From -16 to 90
DRC2-p2-105-FG-GR	610	M16X100	125	150	105	8	Dp2	20	0.8	12	From -16 to 90
DRC3-p2-105-FG-GR	880	M16X100	150	170	105	10	Dp2	20	0.8	12	From -16 to 90
DRC4-p2-105-FG-GR	1130	M18X150	180	210	105	10	Dp2	20	0.8	12	From -16 to 90
DRC5-p2-105-FG-GR	1900	M20X150	204	240	105	12	Dp2	20	0.8	12	From -16 to 90
DRC6-p2-105-FG-GR	2450	M20X150	235	270	105	12	Dp2	20	0.8	12	From -16 to 90

Applications: Medium Presses, Punching Presses, Centreless Grinding Machines, Gear Shapers, High Speed Machines on upper floors.

DRC1-p3-109-FG-GR	380	M12X100	98	109	109	8	Dp3	24	0.8	7	From -16 to 90
DRC2-p3-109-FG-GR	730	M16X100	125	150	109	8	Dp3	24	0.8	7	From -16 to 90
DRC3-p3-109-FG-GR	1060	M16X100	150	170	109	10	Dp3	24	0.8	7	From -16 to 90
DRC4-p3-109-FG-GR	1360	M18X150	180	210	109	10	Dp3	24	0.8	7	From -16 to 90
DRC5-p3-109-FG-GR	2280	M20X150	204	240	109	12	Dp3	24	0.8	7	From -16 to 90
DRC6-p3-109-FG-GR	2940	M20X150	235	270	109	12	Dp3	24	0.8	7	From -16 to 90

Applications: Tool Room Machines on suspended Floors, Light Weight Presses, Compressors etc.



DRC2**DRC4****DRC6**

DRC1-s1-105-FG-GR	200	M12X100	98	109	105	8	Ds1	20	0.8	15	From -16 to 90
DRC2-s1-105-FG-GR	375	M16X100	125	150	105	8	Ds1	20	0.8	15	From -16 to 90
DRC3-s1-105-FG-GR	575	M16X100	150	170	105	10	Ds1	20	0.8	15	From -16 to 90
DRC4-s1-105-FG-GR	800	M18X150	180	210	105	10	Ds1	20	0.8	15	From -16 to 90
DRC5-s1-105-FG-GR	1100	M20X150	204	240	105	12	Ds1	20	0.8	15	From -16 to 90
DRC6-s1-105-FG-GR	1500	M20X150	235	270	105	12	Ds1	20	0.8	15	From -16 to 90

Applications: Tool Room Machines, Plastic Injection Moulding Machines, Pressure Die Casting Machines, Shaper, Printing and Textile Machines etc.

DRC1-s2-110-FG-GR	300	M12X100	98	109	110	8	Ds2	25	0.8	8	From -16 to 90
DRC2-s2-110-FG-GR	550	M16X100	125	150	110	8	Ds2	25	0.8	8	From -16 to 90
DRC3-s2-110-FG-GR	850	M16X100	150	170	110	10	Ds2	25	0.8	8	From -16 to 90
DRC4-s2-110-FG-GR	1250	M18X150	180	210	110	10	Ds2	25	0.8	8	From -16 to 90
DRC5-s2-110-FG-GR	1700	M20X150	204	240	110	12	Ds2	25	0.8	8	From -16 to 90
DRC6-s2-110-FG-GR	2200	M20X150	235	270	110	12	Ds2	25	0.8	8	From -16 to 90

Applications: Power Presses, Stamping Machines, Shearing Machines, Punching Machines. For machines with high vertical impact.



DRC1-hs1-150-FG-GR	1270	M12X100	98	109	150	8	Dhs1	65	0.8	6	From -16 to 90
DRC2-hs1-150-FG-GR	2450	M16X100	125	150	150	8	Dhs1	65	0.8	6	From -16 to 90
DRC3-hs1-150-FG-GR	3530	M16X100	150	170	150	10	Dhs1	65	0.8	6	From -16 to 90
DRC4-hs1-150-FG-GR	4540	M18X150	180	210	150	10	Dhs1	65	0.8	6	From -16 to 90
DRC5-hs1-150-FG-GR	7600	M20X150	204	240	150	12	Dhs1	65	0.8	6	From -16 to 90
DRC6-hs1-150-FG-GR	9820	M20X150	235	270	150	12	Dhs1	65	0.8	6	From -16 to 90

Applications : Forging Hammers, Heavy Gen Sets, Heavy Industrial machines, Test Rigs, Heavy presses etc.

DRC1-hs2-150-FG-GR	510	M12X100	98	109	150	8	Dhs2	65	0.8	4	From -16 to 90
DRC2-hs2-150-FG-GR	900	M16X100	125	150	150	8	Dhs2	65	0.8	4	From -16 to 90
DRC3-hs2-150-FG-GR	1410	M16X100	150	170	150	10	Dhs2	65	0.8	4	From -16 to 90
DRC4-hs2-150-FG-GR	1810	M18X150	180	210	150	10	Dhs2	65	0.8	4	From -16 to 90
DRC5-hs2-150-FG-GR	3040	M20X150	204	240	150	12	Dhs2	65	0.8	4	From -16 to 90
DRC6-hs2-150-FG-GR	3930	M20X150	235	270	150	12	Dhs2	65	0.8	4	From -16 to 90

Applications : Forging Hammers, Heavy Gen Sets, Heavy Industrial machines, Test Rigs, Heavy presses, crushers etc.

DRC1-hs3-135-FG-GR	1780	M12X100	98	109	135	8	Dhs3	50	0.8	7	From -16 to 90
DRC2-hs3-135-FG-GR	3440	M16X100	125	150	135	8	Dhs3	50	0.8	7	From -16 to 90
DRC3-hs3-135-FG-GR	4950	M16X100	150	170	135	10	Dhs3	50	0.8	7	From -16 to 90
DRC4-hs3-135-FG-GR	6350	M18X150	180	210	135	10	Dhs3	50	0.8	7	From -16 to 90
DRC5-hs3-135-FG-GR	10640	M20X150	204	240	135	12	Dhs3	50	0.8	7	From -16 to 90
DRC6-hs3-135-FG-GR	13740	M20X150	235	270	135	12	Dhs3	50	0.8	7	From -16 to 90

Applications : Forging Hammers, Heavy Gen Sets, Heavy Industrial machines, Test Rigs, Heavy presses etc.

DRC1-hs4-135-FG-GR	760	M12X100	98	109	135	8	Dhs4	50	0.8	5	From -16 to 90
DRC2-hs4-135-FG-GR	1470	M16X100	125	150	135	8	Dhs4	50	0.8	5	From -16 to 90
DRC3-hs4-135-FG-GR	2120	M16X100	150	170	135	10	Dhs4	50	0.8	5	From -16 to 90
DRC4-hs4-135-FG-GR	2720	M18X150	180	210	135	10	Dhs4	50	0.8	5	From -16 to 90
DRC5-hs4-135-FG-GR	4960	M20X150	204	240	135	12	Dhs4	50	0.8	5	From -16 to 90
DRC6-hs4-135-FG-GR	5890	M20X150	235	270	135	12	Dhs4	50	0.8	5	From -16 to 90

Applications : Forging Hammers, Heavy Gen Sets, Heavy Industrial machines, Test Rigs, Heavy presses, crushers etc.


DRC1-hs5-165-FG-GR	1780	M12X100	98	109	165	8	Dhs5	80	0.8	5	From -16 to 90
DRC2-hs5-165-FG-GR	3440	M16X100	125	150	165	8	Dhs5	80	0.8	5	From -16 to 90
DRC3-hs5-165-FG-GR	4950	M16X100	150	170	165	10	Dhs5	80	0.8	5	From -16 to 90
DRC4-hs5-165-FG-GR	6350	M18X150	180	210	165	10	Dhs5	80	0.8	5	From -16 to 90
DRC5-hs5-165-FG-GR	10640	M20X150	204	240	165	12	Dhs5	80	0.8	5	From -16 to 90
DRC6-hs5-165-FG-GR	13740	M20X150	235	270	165	12	Dhs5	80	0.8	5	From -16 to 90

Applications : Forging Hammers, Heavy Gen Sets, Heavy Industrial machines, Test Rigs, Heavy presses etc.



DRC1-h-100-FG-GR	1200	M12X100	98	109	100	8	Dh	15	0.6	45	From -16 to 90
DRC2-h-100-FG-GR	2400	M16X100	125	150	100	8	Dh	15	0.6	45	From -16 to 90
DRC3-h-100-FG-GR	3500	M16X100	150	170	100	10	Dh	15	0.6	45	From -16 to 90
DRC4-h-100-FG-GR	5200	M18X150	180	210	100	10	Dh	15	0.6	45	From -16 to 90
DRC5-h-100-FG-GR	7200	M20X150	204	240	100	12	Dh	15	0.6	45	From -16 to 90
DRC6-h-100-FG-GR	9600	M20X150	235	270	100	12	Dh	15	0.6	45	From -16 to 90

Applications : Very Heavy and long bed machines, long machining centres, planners etc.



DRC2



DRC4



DRC6

DRC1-a2-93-FG-GR	640	M12X100	98	109	93	8	Da2	8	0.9	35	From -16 to 90
DRC2-a2-93-FG-GR	1230	M16X100	125	150	93	8	Da2	8	0.9	35	From -16 to 90
DRC3-a2-93-FG-GR	1770	M16X100	150	170	93	10	Da2	8	0.9	35	From -16 to 90
DRC4-a2-93-FG-GR	2270	M18X150	180	210	93	10	Da2	8	0.9	35	From -16 to 90
DRC5-a2-93-FG-GR	3800	M20X150	204	240	93	12	Da2	8	0.9	35	From -16 to 90
DRC6-a2-93-FG-GR	4900	M20X150	235	270	93	12	Da2	8	0.9	35	From -16 to 90